



Product Catalog

Portable Power Station

Mar-17-2023

FPR-P300

Capacity: 343Wh, 92.8Ah

Output Power: 350W

OUTPUT/DISCHARGE PORTS

AC: 220V50Hz/110V60Hz/50Hz

DC: 12V /6A Max

3 USB-A: 5V/2.4A

1 USB-C: PD3.0 5-20V 100W (Max)

1 Type-C: PD 100W

Car Charging Port: 12V/12A Max, Support car start

LED: 5W, 10W, SOS, Quick flashing

INPUT/CHARGE PORTS

AC: 100V-240V 60/50Hz 2.5A Max

DC: 20V/9A 65W

PV: 17-24V/6A

CAR: 12.6-15V/100W

Solar Panel: 120W Max 3Hours

OTHER FEATURES

Working Temp: -30°C ~ 40°C

Product size: 175×140×118(mm)

Package size: 295×270×218 (mm)

Net weight: 3.5 (Kg)

Single gross weight: 4.5 (Kg)



FPR-P800



Capacity: 747Wh, 204.8Ah

Output Power: 800W

OUTPUT/DISCHARGE PORTS

AC: 220V50Hz/110V60Hz/50Hz

DC: 12V /6A Max

3 USB-A: 5V/2.4A

1 USB-C: PD3.0 5-20V 100W (Max)

1 Type-C: PD 100W

Car Charging Port: 12V/12A Max, Support car start

LED: 5W, 10W, SOS, Quick flashing

INPUT/CHARGE PORTS

AC: 100V-240V 60/50Hz 2.5A Max

DC: 20V/9A 150W

PV: 17-24V/6A

CAR: 12.6-15V/100W

Solar Panel: 160W Max 3Hours

OTHER FEATURES

Working Temp: -30°C ~ 40°C

Product size: 267×175×118(mm)

Package size: 395×275×268 (mm)

Net weight: 6 (Kg)

Single gross weight: 8.4 (Kg)



FPR-P1000/P1000S



Capacity: 1016Wh, 278.4Ah; 1121Wh, 307.2Ah

Output Power: 1000W

OUTPUT/DISCHARGE PORTS

AC: 220V50Hz/110V60Hz/50Hz

DC: 12V /6A Max

3 USB-A: 5V/2.4A

1 USB-C: PD3.0 5-20V 100W (Max)

1 Type-C: PD 100W

Car Charging Port: 12V/12A Max, Support car start

LED: 5W, 10W, SOS, Quick flashing

INPUT/CHARGE PORTS

AC: 100V-240V 60/50Hz 2.5A Max

DC: 20V/9A 150W

PV: 17-24V/6A

CAR: 12.6-15V/100W

Solar Panel: 160W Max 3Hours

OTHER FEATURES

Working Temp: -30°C ~ 40°C

Product size: 294×175×118(mm)

Package size: 395×275×268 (mm)

Net weight: 8 (Kg)

Single gross weight: 10.4 (Kg)





THANKS

Address: Bldg 9, Shenzhen Software Park Phase II , Nanshan District, Shenzhen

Tell: +86-755-26914599, +1(604) 5000175

E-mail: Sales01@fprconn.com

Website: www.fpr-newenergy.com